Introduction to the Comprehensive Assessment disclosure templates

This document contains final disclosure of the results of the Comprehensive Assessment for Bank of Valletta plc Specifically, the template contains the bank's overall Comprehensive Assessment result, as well as more detail on Asset Quality Review (AQR) outcomes Further detail on the joint ECB-EBA stress tests can be found in the bank's EBA transparency template

This page provides detail on how to read the templates, and contains important caveats to consider within the context of final results

Bank-specific notes

Sheet descriptions

Main Results and Overview A. Key information on the bank before the Comprehensive Assessment (end-2013) B. The main results of the Comprehensive Assessment C. Major capital measures impacting Tier 1 eligible capital, from 1 January 2014 to 30 September 2014

Detailed AQR Results

D. Matrix Breakdown of AQR Result

E. Matrix Breakdown of Asset Quality Indicators F. Leverage ratio impact of the Comprehensive Assessment

Approved Restructuring Results

This is a repetition of Section B, main results of the Comprehensive Assessment, for those banks who have an agreed restructuring plan

Section descriptions

Section A. Main information on the bank before the Comprehensive Assessme

B. Main results of the Comprehensive Assessment

C. Major capital measures impacting Tier 1 eligible capital, from 1 Janu September 2014

D. Matrix Breakdown of AQR Result

E. Matrix Breakdown of Asset Quality Indicators

F. Leverage ratio impact of the Comprehensive Assessment

Source of key figures / drivers of key results

в	MAIN RESULTS OF THE COMPREHENSIVE ASSESSMENT (CA)	
B1	CET1 Ratio at year end 2013 including retained earnings / losses of 2013 B1 = A6	%	10.00%
B2	Aggregated adjustments due to the outcome of the AQR	Basis Points Change	-100
В3	AQR adjusted CET1 Ratio B3 = B1 + B2	%	9.00%
B 4	Aggregate adjustments due to the outcome of the baseline scenario of the joint EBA ECB Stress Test to lowest capital level over the 3-year period	Basis Points Change	-200
B5	Adjusted CET1 Ratio after Baseline Scenario B5 = B3 + B4	%	7.00%
B6	Aggregate adjustments due to the outcome of the adverse scenario of the joint EBA ECB Stress Test to lowest capital level over the 3-year period	Basis Points Change	-400
B7	Adjusted CET1 Ratio after Adverse Scenario B7 = B3 + B6	%	5.00%

For illustrative purposes only

	Contents	Key fields	Notes
nent (end-2013)	This section contains information on the size, performance and starting point capital holding of the bank as at year-end 2013	A6 Starting point CET1% - bank provided starting point for any adjustments following the Comprehensive Assessment	- Numbers in this section are provided primari comparisons to other sections/sheets. As an example, the NPE ratio exhibited in this sect as such does not provide a like for like comparison only to portfolios selected in Phase 1 of the AQR)
	This key section of the disclosure template contains the main results of the Comprehensive Assessment	Key fields discussed in more detail below	- Banks have 6 months to recapitalise any sho scenario, and 9 months to recapitalise any sho
nuary 2014 to 30	This section displays major capital market activity affecting Tier 1 eligible capital		 Section C should be read as informational on as detailed in section B, nor do they mitigate the For banks with a capital shortfall, this information that follows disclosure of Comprehensive Assessment
	This section gives workblock specific AQR results	 D.A - D.F provides AQR results broken down by asset segment, and by AQR workblock D.G - D.I provides the results of the Level 3 non-derivative exposures review D20 is the gross impact of the AQR before offsetting D21 provides impact of insurance protection D22 provides the tax impact D23 shows the net total impact of the AQR 	 The selection of asset classes for portfolio rethose portfolios with the highest risk of misclar results to the non-selected portfolios would be - In the AQR exercise the resulting increase in prochange in CET1 Items D1 to D21 are before offsetting impacts such as the selected portfolio impacts such as the sele
	The section provides asset quality indicators (NPE levels and coverage ratio), broken down by asset segment	 E1 shows the evolution of NPE levels for portfolios selected in Phase 1 E10 shows the evolution of coverage ratios for portfolios selected in Phase 1 	 Information reported only for portfolios subjects 1 of the AQR Figures presented should not be interpreted at the asset quality indicators are based on EB While the application of this definition constitutes the euro area banking sector, the degree of harmon different materiality thresholds across Member Statimplemented for the Comprehensive Assessment across banks and jurisdictions
	This shows the change in the leverage ratio from the AQR		 Leverage ratios are currently not binding, are impact on the capital shortfall Due to the 'static balance sheet' assumption use misleading for the Stress Tests and is therefore diministration in the stress Tests and is therefore diministration is the stress Tests and is therefore diministration is the stress Tests and is the stress diministration diministration in the stress diministration dimini

B1 - the CET1 ratio as at 31 December 2013 is provided by the bank, and acts as the starting point against which Comprehensive Assessment impact is measured Note that CET1 is defined in accordance with CRDIV/CRR applicable as of 1 January 2014

B2 - sourced from D23, the net AQR impact after tax and risk protection netting effects

B3 = B1 + B2

B4 = the delta between the AQR adjusted CET1% and the baseline scenario CET1%, in the year where capital level vs threshold (8%) is the lowest Note - this information comes from the EBA transparency templates. The key fields in these templates are the baseline figures in the "Capital" sheet, section C.1

B5 = B3 + B4 (note the starting point for this adjustment is the AQR adjusted CET1%)

B6 = the delta between the AQR adjusted CET1% and the adverse scenario CET1%, in the year where capital level vs threshold (5.5%) is the lowest Note - this information comes from the EBA transparency templates. The key fields in these templates are the adverse figures in the "Capital" sheet, section C.1

B7 = B3 + B6 (note the starting point for this adjustment is the AQR adjusted CET1%)

arily for transparency purposes and should not be used for

ection applies across all segments and all bank portfolios, and son with the NPE ratio data displayed in section E (which relates

hortfall resulting from the AQR and Stress Test baseline shortfall resulting from the Stress Test adverse scenario

only. Figures here do not feed into the final CET1% results e the bank's disclosed capital shortfall (B11) tion will be taken into account during the capital planning phase ssment results

review was based on an approach aimed at identifying classification and misvaluation. Therefore, extrapolation of be incorrect from a statistical stand-point provisions (from a supervisory perspective) are translated into a

such as asset protection and taxes

bject to detailed review in AQR, i.e. those selected in Phase

ed as accounting figures

EBA's simplified definition of NPE tes an important step forward in terms of harmonisation across

rmonisation reached is not complete due to factors such as States. However, a solid basis of consistency has been ent, implying a very significant improvement in comparability

are displayed for information purposes only and have no

used as part of the Stress Test, the leverage ratio might be e displayed for AQR only

	2014 COMPREHENSIVE A	SSESSMENT OUTCOME		
	NAME OF THE ENTITY MTCBOV	Bank of Valle	ECB PL	JBLIC
1	Main Results and Overview			
I A	MAIN INFORMATION ON THE BANK BEFORE THE CO	MPREHENSIVE ASSESSMEN	T (end 2013)	
~			r (chu 2010)	END 2013
A1	Total Assets (based on prudential scope of consolidation)		Mill. EUR	7,425.02
A2	Net (+) Profit/ (-) Loss of 2013 (based on prudential scope of co	onsolidation)	Mill. EUR	65.29
A3	Common Equity Tier 1 Capital according to CRDIV/CRR definition, transitional arrangements a	as of 1.1.2014	Mill. EUR	408.41
A4	Total risk exposure * according to CRDIV/CRR definition, transitional arrangements a	as of 1.1.2014	Mill. EUR	3,646.52
A5	Total exposure measure according to Article 429 CRR "Leverage exposure"		Mill. EUR	7,704.63
A6	CET1 ratio according to CRDIV/CRR definition, transitional arrangements a A6=A3/A4	as of 1.1.2014	%	11.20%
A7	Tier 1 Ratio (where available) according to CRD3 definition, as of 31.12.2013 as reported by t	he bank	%	11.48%
A8	Core Tier 1 Ratio (where available) according to EBA definition		%	11.48%
A9	Leverage ratio		%	5.30%
A10	Non-performing exposures ratio		%	4.53%
A11	Coverage ratio for non-performing exposure		%	52.10%
A12	Level 3 instruments on total assets		%	0.00%
В	MAIN RESULTS OF THE COMPREHENSIVE ASSESSM	ENT (CA)		
B1	CET1 Ratio at year end 2013 including retained earnings / losses of 207 B1 = A6	13 %	11.20%	
B2	Aggregated adjustments due to the outcome of the AQR	Basis Points Change	-49	
В3	AQR adjusted CET1 Ratio B3 = B1 + B2	%	10.71%	
B4	Aggregate adjustments due to the outcome of the baseline scenario of the joint EBA ECB Stress Test to lowest capital level over the 3-year period	Basis Points Change	122	
B5	Adjusted CET1 Ratio after Baseline Scenario B5 = B3 + B4	%	11.93%	
B6	Aggregate adjustments due to the outcome of the <u>adverse</u> scenario of the joint EBA ECB Stress Test to lowest capital level over the 3-year period	Basis Points Change	-179	

Adjusted CET1	Ratio after Adverse Scenario
B7 = B3 + B6	

Capital Shortfall

B7

- B8 to threshold of 8% for AQR adjusted CET1 Ratio
- B9 to threshold of 8% in Baseline Scenario
- B10 to threshold of 5.5% in Adverse Scenario


B11 Aggregated Capital Shortfall of the Comprehensive Assessment B11 = max(B8, B9, B10)

* Total risk exposure figure is pre-AQR. Please note that the corresponding Year End 2013 figure in the EBA Transparency template is post-AQR and therefore may not match exactly. ¹ RWA used corresponds to relevant scenario in worst case year

Basis Points ¹	Mill. EUR
0	0.00
0	0.00
0	0.00
0	0

8.92%

%



C MAJOR CAPITAL MEASURES IMPACTING TIER 1 ELIGIBLE CAPITAL FROM 1 JANUARY 2014 TO 30 SEPTEMBER 2014

Issu	ance of CET1 Instruments	Impact on Common Equity Tier 1 Million EUR
C1	Raising of capital instruments eligible as CET1 capital	0.00
C2	Repayment of CET1 capital, buybacks	0.00
C3	Conversion to CET1 of hybrid instruments becoming effective between January and September 2014	0.00
Net i	ssuance of Additional Tier 1 Instruments	Impact on Additional Tier 1 Million EUR
C4	with a trigger at or above 5.5% and below 6%	0.00
C5	with a trigger at or above 6% and below 7%	0.00
C6	with a trigger at or above 7%	0.00
Fine	s/Litigation costs	Million EUR
C7	Incurred fines/litigation costs from January to September 2014 (net of provisions)	0.00

2014 COMPREHENSIVE ASSESSMENT OUTCOME

NAME OF THE ENTITY

Bank of Valletta plc

2. Detailed AQR Results

D. Matrix Breakdown of AQR Result (B2)

Note:

• The selection of asset classes for portfolio review was based on an approach aimed at identifying those portfolios with the highest risk of misclassification. Therefore, extrapolation of results to the non-selected portfolios would be incorrect.

• The columns D. C to D. F include (but are not limited to) any impacts on provisioning associated with the reclassification of performing to non-performing exposure.

MTCBOV

• In the AQR exercise the resulting increase in provisions (from a supervisory perspective) are translated into a change in CET1.

• Items D1 to D21 are before offsetting impacts such as asset protection and taxes.

• Basis points are calculated using total risk exposure from Section A4

• For the interpretation of the detailed results the interested reader may refer to the AQR manual outlining the methodology or to the accompanying Aggregate Report where the main features of the CA exercise are reiterated. Find the AQR manual here:

http://www.ecb.europa.eu/press/pr/date/2014/html/pr140311.en.html

			D.A	D.B	D	.C	D	.D).E	D).F
\downarrow	AQR breakdown Asset class breakdown		Credit Risk RWA year end 2013	Portfolio selected in Phase 1	Adjustments to	provisions on sampled files	ts to	provisions aue to projection of findings	str	due to collective provisioning review	Impact on CET1 capital	before any offsetting impact
		Units of Measurement		% of RWA selected in Phase 1	Basis Points	Mill. EUR	Basis Points	Mill. EUR	Basis Points	Mill. EUR	Basis Points	Mill. EUR
D1	Total credit exposure		3,263.17	60 - 80%		-2.70	11	4.13	41	14.94	-45	-16.37
D2	Sovereigns and Supranational non-governmental organisations		32.61	0%	0	0.00	0	0.00	0	0.00	0	0.00
D3	Institutions		389.73		0	0.00	0		0	0.00	0	0.00
D4	Retail		1,107.47	100%	0	0.00	0	0.00	36	13.12	-36	-13.12
D5	thereof SME		120.38						17	6.24	-17	-6.24
D6	thereof Residential Real Estate (RRE)		736.08		0	0.00	0	0.00	0	0.00	0	0.00
D7	thereof Other Retail		251.02						19	6.88	-19	-6.88
D8	Corporates		1,325.94		-7	-2.70		4.13	5	1.81	-9	-3.25
D9	Other Assets		407.43	0%	0	0.00	0	0.00	0	0.00	0	0.00
.												

D10 Additional information on portfolios with largest adjustments accounting for (at least) 30% of total banking book AQR adjustment:

Asset Class	Geography
Other Retail	MALTA
SME	MALTA
Large corporates (non real estate)	MALTA

	-					
251.02		0.00		0.00	19	6
120.38 179.04		0.00		0.00	17	6
179.04	1	0.27	3	1.16	5	1

NB: In some cases the total credit RWA reported in field D.A1 may not equal the sum of the components below, or corresponding metrics in the EBA transparency templates. These cases are driven by inclusion of specialised assets types which lie outside the categories given above



6.88	-19	-6.88
6.24	-17	-6.24
1.81	-9	-3.25

			D.G	D.H	D	.I
			Portfolio size Carrying Amount	Portfolio selection	Impact on CET1 be imp	, ,
		Units of Measurement	Mill. EUR	% selected in Phase 1	Basis points	Mill. EUR
D11	CVA				0	0.00
D12	Fair Value review				0	0.00
D13	Non derivative exposures review	Please refer to Definitions and Explanations sheet	0.00	0%	0	0.00
D14	Bonds		0.00	-	0	0.00
D15	Securitisations		0.00	-	0	0.00
D16	Loans		0.00	-	0	0.00
D17	Equity (Investment in PE and Participations)		0.00	0%	0	0.00
D18	Investment Properties / Real Estate / Other		0.00	0%	0	0.00
D19	Derivatives Model Review				0	0.00

		Basis points ²	Mill. EUR
D20	Gross impact on capital	-45	-16.37
D21	Offsetting impact due to risk protection	0	0.00
D22	Offsetting tax impact	0	0.00
D23	Net total impact of AQR results on CET1 ratio	-49	

Please refer to Definitions and Explanations sheet

D23 = (D20 + D21 + D22) + (Adjustment for change in RWA due to AQR)

E. Matrix Breakdown of Asset Quality Indicators

• The selection of asset classes for portfolio review was based on an approach aimed at identifying those portfolios with the highest risk of misclassification. Therefore, extrapolation of results to the nonselected portfolios would be incorrect from a statistical stand-point.

• The asset quality indicators are based on EBA's simplified definition of NPE.

• All parties involved made significant efforts to increase the degree of harmonisation of the NPE definition and its application.

• While the application of this definition constitutes a very important leap forward in terms of harmonisation across the euro area banking sector, the degree of harmonisation reached is not completely perfect due to factors such as different materiality thresholds across Member States. However, a solid basis of consistency has been implemented for the comprehensive assessment, implying a very significant improvement in comparability across banks from different jurisdictions.

• The figures presented should not be understood as accounting figures.

² Basis point impact includes adjustment to RWA

Information reported only for portfolios subject to detailed review in AQR Asset quality indicators

Based on EBA simplified definition

Non-Performing Exposure Ratio

- E1 <u>Total credit exposure</u>
- E2 Sovereigns and Supranational non-governmental organisations
- E3 Institutions
- E4 Retail
- thereof SME E5
- thereof Residential Real Estate (RRE) E6
- thereof Other Retail E7
- E8 Corporates
- E9 Other Assets

			E.E	E.F	E.G	E.H	E .I	E.J
	Coverage Ratio NB: Coverage ratios displayed in E.E - E.I cover only the exposure that was marked as non-performing pre-AQR. Therefore exposures that were newly reclassified to NPE during the AQR are NOT included in the calculation for E.E - E.I		unadjusted coverage ratio of non-performing exposure, year end 2013	Changes due to the credit file review	Changes due to the projection of findings	Changes due to the collective provisioning review on non-performing exposures	AQR - adjusted ratio of provisions on NPE to NPE	Coverage ratio for exposures newly classified as NPE during the AQR
		Units of						
E 40		urement		%	%	%	%	%
E10	Total credit exposure		30.97%	-1.59%	0.44%	2.57%	32.38%	
E11	Sovereigns and Supranational non-governmental organisation		-	0.00%	0.00%			
E12	Institutions		-	0.00%	0.00%		44.040/	
E13	Retail		37.76%	0.05%	0.00%	7.04%	44.84%	
E14	thereof SME		38.63%	0.1001		11.98%	50.61%	
E15	thereof Residential Real Estate (RRE)		25.50%	0.10%	0.00%	0.00%	25.60%	
E16	thereof Other Retail		47.79%			9.01%	56.79%	
E17	Corporates		27.29%	-2.78%	0.69%		25.20%	3.23%
E18	Other Assets		-	0.00%	0.00%			

	E.A	E.B	E.C	E.D
	unadjusted NPE Level year end 2013	Changes due to the credit file review	Changes due to the projection of findings	AQR-adjusted NPE Level
Units of	0/	Decia Deinte	Decis Deinte	0/
Measurement	% 11.81%	Basis Points 453	Basis Points 199	% 18.33%
	-	0	0	10100 / 0
	-	0	0	
	6.54%	0	0	6.53%
	11.41%			
	3.33%	0	0	3.33%
	12.62%			
	20.99%	1240	544	38.84%
	-	0	0	

For information purposes only

F. LEVERAGE RATIO IMPACT OF THE COMPREHENSIVE ASSESSMENT

Explanatory Note:

• Note that the leverage ratio is based on the CRR Article 429 as of January 2014.

It is currently not binding, is displayed for information purposes only and has no impact on the capital shortfall (B11).
As the constant balance sheet assumption, which is applied in the Stress Test, might be misleading for the leverage ratio, the ratio is displayed for AQR only.

F1	Leverage Ratio at year end 2013	%	5.30%
	Please refer to Definitions and Exp	olanations sheet	
	F1 = A9		
F2	Aggregated adjustments to Leverage Ratio due to the outcome of the AQF	R Basis Points	-21
	F2 = (D20+D21+D22)/A5		
F3	AQR adjusted Leverage Ratio	%	5.09%
	F3 = F1 + F2		<u> </u>

3. Definitions and Explanations

Reference	Name	Definition or further explanation			
A. MAIN INFO	. MAIN INFORMATION ON THE BANK BEFORE THE COMPREHENSIVE ASSESSMENT (end 2013)				
A1	Total Assets (based on prudential scope of consolidation)	Sum of on balance positions. Note that for this and all following positions the scope of consolidation follows Article 18 CRR (therefore direct comparison with financial accounts based on accounting scope of consolidation will result in differences). Year-end 2013.			
A2	Net (+) Profit/ (-) Loss of 2013 (based on prudential scope of consolidation)	Net profits (positive number) or net losses (negative number) in the year 2013. After taxes. Exclusive Other Comprehensive Income. The scope of consolidation follows Article 18 CRR (therefore direct comparison with financial accounts based on accounting scope of consolidation will result in differences).			
A3	Common Equity Tier 1 Capital	At year-end 2013, according to CRDIV/CRR definition, transitional arrangements as of 1.1.2014, Article 50 CRR. The only exception to national transitional arrangements is sovereign AFS losses (Article 467 CRR) where a harmonised approach is taken with a 20% deduction irrespective of national discretion concerning phase-in. This exception is necessary to be consistent with EBA's CET1 definition applied in the stress test exercise. This includes losses of 2013 or retained earnings of 2013 subject to Article 26.2 CRR.			
A4	Total risk exposure	Article 92.3 CRR, "total RWA", as of year-end 2013. according to CRDIV/CRR definition, transitional arrangements as of 1.1.2014.			
A5	Total exposure measure according to Article 429 CRR	Denominator of leverage ratio (A9), "leverage exposure", according to Article 429 CRR.			
A6	CET1 ratio	A6=A3/A4, Article 92.1a CRR, figures as of year-end 2013. With national transitional arrangements as per 1 January 2014. The only exception to national transitional arrangements is sovereign AFS losses (Article 467 CRR) where a harmonised approach is taken with a 20% deduction irrespective of national discretion concerning phase-in. This exception is necessary to be consistent with EBA's CET1 definition applied in the stress test exercise.			
A7	Tier 1 Ratio	Unadjusted Basel II figure as of 31.12.2013 as reported by the bank			
A8	Core Tier one ratio	Unadjusted Basel II figure as of 31.12.2013 as reported by the bank			
A9	Leverage ratio at year end 2013	See EBA Implementing Technical Standards for Supervisory Reporting (Legal basis: Article 99 of Regulation (EU) No 575/2013 and ITS on Supervisory Reporting of institutions published in the Official Journal of the European Commission on 28/06/2014) module for leverage ratio: <u>- Annex X - Leverage ratio templates</u> <u>- Annex XI - Instructions on Leverage (Part II 2.12)</u>			
A10	Non-performing exposures ratio	Numerator: Exposure (book value plus CCF-weighted off-balance exposure) that is non- performing according to the simplified NPE definition (see Section 2.4.4. of the AQR Phase 2 manual) at year end 2013 (total of consolidated bank): An NPE is defined as: • Every material exposure that is 90 days past-due even if it is not recognised as defaulted or impaired • Every exposure that is impaired (respecting specifics of definition for nGAAP vs. IFRS banks) • Every exposure that is in default according to CRR Definition of exposure: • Any facility that is NPE must be classed as such • For retail: NPE is defined at the facility level • For non-retail: NPE is defined at the debtor level – if one material exposure is classified as NPE, all exposures to this debtor level shall be treated as NPE • Materiality is defined as per the EBA ITS guidelines (i.e. as per Article 178 CRR) and hence in line with national discretion • Off balance sheet exposures are included. Derivative and trading book exposures are not included as per the EBA ITS. Denominator: total exposure (performing and non-performing). Same definition of exposure as above.			

A11	exposure	Numerator: Specific allowances for individually assessed financial assets (As per IAS 39 AG.84-92. FINREP table 4.4, column 080. EBA/ITS/2013/03 Annex V. Part 2. 35-38) + Specific allowances for collectively assessed financial assets (As per IAS 39 AG.84-92. FINREP table 4.4, column 090. EBA/ITS/2013/03 Annex V. Part 2. 35-38) + Collective allowances for incurred but not reported losses (As per IAS 39 AG.84-92. FINREP table 4.4, column 100. EBA/ITS/2013/03 Annex V. Part 2. 35-38) Denominator: the non-performing exposure (numerator of A10) As of year-end 2013 and total of consolidated bank.
A12	Level 3 instruments on total assets	Level 3 assets are those according to IFRS 13, para. 86-90 (covering Available for Sale, Fair Value through P&L and Held for Trading) Not defined for banks using nGAAP. Total assets = A1

B. MAIN RESULTS OF THE COMPREHENSIVE ASSESSMENT (CA)

B1	CET1 Ratio	B1=A6
B2	Aggregated adjustments due to the outcome of the AQR	This is the sum of all AQR results impacting (from an accounting or prudential perspective) the CET1 ratio. The split into its components is provided in the sheet "Detailed AQR Results". In basis points, marginal effect.
В3	AQR adjusted CET1 Ratio	B3 = B1 + B2 based on year-end 2013 figures and CRR/CRDIV phase-in as of 1 January 2014
B4	Aggregate adjustments due to the outcome of the baseline scenario of the joint EBA ECB Stress Test	Additional adjustments due to baseline scenario to lowest capital level over the 3-year period. Note that this also includes phasing-in effects of CRR and CRD 4 as of arrangements of respective national jurisdiction. In line with EBA disclosure.
B5	Adjusted CET1 Ratio after Baseline Scenario	B5= B4 + B3 Note that this is an estimate of the outcome of a hypothetical scenario and refers to a future point in time. It should not be confused with the bank's forecast or multi year plan.
В6	Aggregate adjustments due to the outcome of the adverse scenario of the joint EBA ECB Stress Test	Additional adjustments due to adverse scenario to lowest capital level over the 3-year period. Note that this also includes phasing-in effects of CRR and CRDIV as of arrangements of respective national jurisdiction. In line with EBA disclosure.
В7	Adjusted CET1 Ratio after Adverse Scenario	B7 = B5 + B6 Note that this is an estimate of the outcome of an adverse hypothetical scenario and refers to a future point in time. It should not be confused with the bank's forecast or multi-year plan.
В8	Shortfall to threshold of 8% for AQR adjusted CET1 Ratio	B8=(8-B3)*100 (if B3<8, otherwise 0)
В9	Shortfall to threshold of 8% in Baseline Scenario	B9=(8-B5)*100 (if B5<8, otherwise 0)

B10 I	Shortfall to threshold of 5.5% in Adverse Scenario	B10=(5.5-B7)*100 (if B7<5.5, otherwise 0)
R11	Aggregated Capital Shortfall of the Comprehensive Assessment	B11= max(B8, B9, B10) B11 will be capital shortfall coming out of the comprehensive assessment. For details on which measures are considered eligible to mitigate the shortfall see the accompanying Aggregated Report.

C. Memorand	lum Items	
Please refer to Stress Test	o the bank specific notes on the first shee	t for details on any capital raising that is already reflected in the dynamic balance sheet of the
C1	Raising of capital instruments eligible as CET1 capital (+)	Changes to CET1 due to new issuances of common equity.
C2	Repayment of CET1 capital, buybacks	Changes to CET1 due to repayment or reduction of CET1 (i.e. buybacks).
СЗ	Conversion to CET1 of existing hybrid instruments (+)	Changes to CET1 due to conversion of existing hybrid instruments into CET1 which took place between 1 January 2014 and 30 September 2014.
C4	Net Issuance of Additional Tier 1 Instruments with a trigger at or above 5.5% and below 6%	Net issuance of AT1 Instruments (Article 52 CRR) with a trigger at or above 5.5% and below 6% between 1 January 2014 and 30 September 2014, expressed in terms of RWA. AT1 instruments which have been converted into CET1 are not to be accounted for in this cell to avoid double counting with C3.
C5	Net Issuance of Additional Tier 1 Instruments with a trigger at or above 6% and below 7%	Net issuance of AT1 Instruments (Article 52 CRR) with a trigger at or above 6% and below 7% between 1 January 2014 and 30 September 2014, expressed in terms of RWA. AT1 instruments which have been converted into CET1 are not to be accounted for in this cell to avoid double counting with C3.
C6	Net Issuance of Additional Tier 1 Instruments with a trigger at or above 7%	Net issuance of AT1 Instruments (Article 52 CRR) with a trigger at or above 7% CET1 between 1 January 2014 and 30 September 2014, expressed in terms of RWA. AT1 instruments which have been converted into CET1 are not to be accounted for in this cell to avoid double counting with C3.
C7	Incurred fines/litigation costs from January to September 2014 (net of provisions)	Incurred fines/litigation costs from 1 January to September 2014 (net of provisions). Only litigation costs with a realized loss > 1 Basis Point of CET1 (as of 1.1.2014) are in scope.
D. Matrix Bre	akdown of AQR Result	
Asset class	Corporates	Asset class is an aggregated of the AQR sub-asset classes Project finance, Shipping, Aviation, Commercial real estate (CRE), Other real estate, Large corporates (non real estate) and Large SME (non real estate)
D .A	Credit Risk RWA year end 2013	Total credit risk weighted assets including off balance sheet items.
D .B	Portfolio selected	Indication of the fraction of the overall RWA per asset class that was selected in Phase 1 of the AQR. This follows a "bucketing approach" rather than disclosing the precise figures. Buckets are defined as follows: "Not relevant" ; 0%; < 20% ; 20-40% ; 40-60% ; 60-80% ; 80-100% ; 100%
D.C	Adjustments to provisions on sampled files	Amount of adjustments to specific provisions on the credit file samples. This includes all files from the single credit file review (on a technical note: also the prioritized files).
D .D	Adjustments to provisions due to projection of findings	Amount of adjustments to specific provisions based on the projection of findings of the credit file review to the wider portfolio (negative numbers).
D.E	Adjustment to provisions due to collective provisioning review	Amount of adjustments to collective provisions as determined based on the challenger model in cases where the bank's collective provisioning model is found to be out of line with the standards expressed in the AQR Manual.
D .F	Adjustments on CET1 before offsetting impact	Gross amount of the aggregated adjustments disclosed in D.C - D.E before the offsetting impact of risk protection and tax (negative numbers).
D.G	Portfolio size Carrying Amount	Portfolio size - Level 3 Carrying Amount
D .H	Portfolio selection	Indication of the carrying amount (gross mark-to-market as of year-end 2013, before AQR adjustment) of Level 3 position that has been reviewed by NCA Bank Team divided by total level 3 carrying amount (gross mark-to-market as of year-end 2013, before AQR adjustment and before PP&A) for this asset class.
D .I	Adjustments on CET1 before offsetting impact	Amount of adjustments resulting from: - CVA Challenger model (D11). - the different components of the fair value exposures review (D13-D19), as well as the fair value review as a whole (D12).

D23	Net total impact of AQR results on CET1	Net amount of the aggregated CET1 adjustment based on the AQR after offsetting impact of risk protection and tax (negative number). Sums the impact from D20, D21, D22, and incorporates the effect of changing RWA.
D22	Offsetting tax impact	The offsetting tax impact includes the assumed creation of DTAs, which accounts for limitations imposed by accounting rules. Appropriate CRRIV DTA deductions are made for any tax offsets.
D21	Offsetting impact due to risk protection	Aggregated estimated impact of asset protection schemes (e.g. portfolio guarantees) and insurance effects that may apply toapplicable portfolios (positive number).
D20	Sum of D.F1, D.I 11 and D.I 12	Gross amount of the aggregated CET1 adjustment based on the AQR before offsetting impact of asset protection, insurance and tax (negative number).
D13	Non derivative exposures review	This includes changes in scope of exposure following PP&A. Note this includes accrual accounted real estate positions and portfolios accounted at cost.
D12	Adjustments to fair value assets in the banking and trading book	Split of the aggregated adjustment from the fair value review, excluding the adjustment to CVA (D11)
D11	CVA	Adjustments resulting from CVA challenger model. CVA see Article 383 CRR CVA, calculated as the market loss-given-default multiplied by the sum of expected losses at each point in time. The expected loss at each point in time i is calculated as the product of the PD factor at that point in time and the Exposure factor at that point in time
D10	Additional information on portfolios with largest adjustments accounting for (at least) 30% of total banking book AQR adjustment:	This breakdown is omitted where the overall AQR impact (B2) is less than 10 basis points CET1 and single rows are omitted where they have an impact of less than 1 basis point CET1 Note this adjustment is already reflected in the asset class break down of D1 to D9 and displayed here only on a more granular level.

• The asset quality indicators are based on EBA's simplified definition of NPE.

• All parties involved made significant efforts to increase the degree of harmonisation of the NPE definition and its application.

• While the application of this definition constitutes a very important leap forward in terms of harmonisation across the euro area banking sector, the degree of harmonisation reached is not completely perfect due to factors such as different materiality thresholds across Member States. However, a solid basis of consistency has been implemented for the comprehensive assessment, implying a very significant improvement in comparability across banks from different jurisdictions.

• The figures presented should not be understood as accounting figures.

E .A	unadjusted NPE Level year end 2013	Total NPE for all portfolios in-scope for detailed review during the AQR. Expressed as a percentage of Total Exposure for these portfolios
Е.В	Changes due to the single credit file review	Exposure re-classified from performing to non-performing according to the CFR classification review.
E.C	Changes due to the projection of findings	Exposure re-classified from performing to non-performing according to the projection of findings.
E .D	AQR - adjusted NPE level	Numerator: Exposure (book value plus CCF-weighted off-balance exposure) reported by the bank as non- performing according to the simplified NPE definition (see AQR Phase 2 Manual Section 2.4.4. and explanation for A10 above) at year end 2013 + Exposure re-classified from performing to non-performing according to the CFR classification review and projection of findings. Denominator: total exposure (performing and non-performing). Same exposure definition as above.
E.E	unadjusted coverage ratio of non-performing exposure, year end 2013	Specific provisions divided by non-performing exposure for portfolios in-scope for detailed review in the AQR. NB: The NPE used is that set of of exposures which were originally marked as NPE pre-AQR.
E.F	Changes due to the single credit file review	Amount of adjustments to provisions based on single credit file review.
E.G	Changes due to the projection of findings	Amount of adjustments to provisions based on the projection of findings of the credit file review to the wider portfolio.
E.H	Changes due to the collective provisioning review on non-performing exposures	Amount of adjustments to collective provisions as determined based on the challenger model in cases where the bank's collective provisioning model is found to be out of line with the standards expressed in the AQR Manual.
E .I	AQR - adjusted ratio of provisions on NPE to NPE	Coverage ratio adjusted for AQR findings.
E.J	Coverage ratio for exposures newly classified as NPE during the AQR	Additional provisions specified for exposure newly classified as non-performing during the AQR

F. LEVERAGE RATIO IMPACT OF THE COMPREHENSIVE ASSESSMENT			
F1	Leverage Ratio at year end 2013	See A9 above	
162		Adjustments to the leverage ratio based on all quantitative AQR adjustments affecting its components	
F3	AQR adjusted Leverage Ratio	Leverage ratio as at December 2013, incorporating all quantitative AQR adjustments to capital. Leverage ratio definition based on CRR Article 429 as of September 2014	